RESILIENCE

PROPERTIES

DESCRIPTION

Italian natural grain, pure aniline leather.

AVERAGE HIDE SIZE

60.00 sq ft

THICKNESS

1.1 mm +/-0.1 mm

ATTRIBUTES

Paraffin wax finish. Unique variations and natural markings.

WEIGHT

2.75 oz +/-0.25 oz per sq ft

GRAIN CHARACTERISTICS

Natural variations

FINISH CHARACTERISTICS

Paraffin wax finish

NON-TOXIC COMPOSITION

Our leathers are not made with nor contain conflict minerals, POPs, PVC, BPA, PDEs, plasticizers, heavy metals, or phthalates.

TEST PERFORMANCE

ABRASION

ASTM D-4157 Wyzenbeek Abrasion Resistance:

Class 5 at 100,000 cycles

ANTIBACTERIAL

AATCC 100 Assessment of Antibacterial Finishes on Textile Materials (Quantitative): Meets Requirements

AATCC 147 Assessment of Antibacterial Activity of Textile Materials (Qualitative):

Meets Requirements

ENVIRONMENTAL

GREENGUARD Gold Indoor Air Quality:
Certified

California AB 1817 Product Safety: Textile Articles: Perfluoroalkyl and Polyfluoroalkyl Substances Complies

LIGHTFASTNESS

AATCC 16.3 Opt 3 Colorfastness to Light: Class 3.5 at 72 hours

FLAMMABILITY

California Technical Bulletin 117 2013 Section E Flammability Test: Certified

California AB 2998 Consumer Products: Flame Retardant Materials:

Not Applicable

FAR 25.853 (a) Am. 25-116, App. F, Part I (a)(1)(ii) Federal Aviation Regulation for Flammability Resistance:

Passes with flame treatment

MVSS 302 Federal Motor Vehicle Safety Standards Flammability of Interior Materials:

Certified

IMO Part 8: Upholstered Furniture International Marine Organization 3.1 Cigarette Ignition:

Passed

IMO Part 8:

Upholstered Furniture
International Marine Organization
3.2 Propane Flame:

Passed

NFPA 260

National Fire Protection Association Cigarette Ignition

Resistance: Certified

BS 5852:2006: Source 5 British Standard Flammability Test:

Certified

Resilience may be used in California TB 133 applications with suitable fire backers.

DURABILITY

Recommended for all upholstery applications.







