PROPERTIES

DESCRIPTION

Embossed Italian semi-aniline leather.

AVERAGE HIDE SIZE

52.00 sq ft

THICKNESS

1.2 mm +/-0.1 mm

ATTRIBUTES

Embossed leather with hand antique finish for beautiful depth of color. Flame resistant. Water and stain repellent and antibacterial protection.

WEIGHT

2.75 oz +/-0.25 oz per sq ft

GRAIN CHARACTERISTICS

Embossed

FINISH CHARACTERISTICS

Hand antiqued finish

APPROXIMATE PATTERN REPEAT

Vertical: 59" Horizontal: 59"

NON-TOXIC COMPOSITION

Our leathers are not made with nor contain conflict minerals, POPs, PVC, BPA, PBDEs, plasticizers, heavy metals, or phthalates.





TEST PERFORMANCE

ABRASION

CS-10 Taber Abrasion Resistance: 1000+ cycles

ABSORPTION

ASTM D751 Water Resistance Hydrostatic Pressure Test: Exceeds Requirements 150+ cm

AATC 79-2010 Absorbency of Textiles Meets Requirements

ANTIBACTERIAL

AATCC 100

Assessment of Antibacterial Finishes on Textile Materials (Quantitative): Meets Requirements

AATCC 147

Assessment of Antibacterial Activity of Textile Materials (Qualitative): Meets Requirements

ENVIRONMENTAL

GREENGUARD Gold Indoor Air Quality: Certified

FLAMMABILITY

California AB-2998; Consumer products -Flame Retardant Materials: Passed

California Technical Bulletin 117 2013 Section E Flammability Test: Certified

FAR 25.853 (a) Am. 25-116, App. F, Part I (a)(1)(ii) Federal Aviation Regulation for Flammability Resistance: Passes with flame treatment

NFPA 260 National Fire Protection Association Cigarette Ignition Resistance: Certified

MVSS 302

Federal Motor Vehicle Safety Standards Flammability of Interior Materials: Certified IMO Part 8: Upholstered Furniture

International Marine Organization 3.1 Cigarette Ignition: Passed

IMO Part 8: Upholstered Furniture International Marine Organization 3.2 Propane Flame: Passed

BS 5852:2006:Source 5 **British Standard Flammability Test:** Certified

Rill may be used in California TB 133 applications with suitable fire backers.

DURABILITY Excellent. Recommended for all upholstery applications, especially high traffic areas.









